



A NAME IN...

LUBRICATING EQUIPMENTS



*Hand Operated
Bucket Grease Pump*

*Lever
Grease Guns*

*Oil
Cans*

*Rotatory
Barrel Pump*

HAND OPERATED BUCKET GREASE PUMP



BGP-503 WL



BGP-505 WL



BGP-505



BGP-506 WL



BGP-506



BGP-510 WL



BGP-510



BGP-520

- ♦ Easily Portable Mounted on Wheels
- ♦ Quick and Easily Open-able Cover
- ♦ Adjustable Carry Handle
- ♦ Lever Operated Pump Mounted on Cover of Drum
- ♦ 3/8" x 2.2 Meter Wire Braided Oil Resistance
- ♦ High Pressure Hose
- ♦ Removable Handle
- ♦ Spring Loaded Disc is Placed Inside the Drum to
- ♦ Make Positive Pressure or Easy Pumping of Grease
- ♦ Delivery Rate 4.50 gram / Stock Approx
- ♦ Working Pressure up to 4000 PSI

CAT NO.	CAPACITY	DESCRIPTION
BGP - 503 WL	3 Kg	Without Wheel
BGP - 505	5 Kg	With Wheel
BGP - 505 WL	5 Kg	Without Wheel
BGP - 506 WL	6 Kg	Without Wheel
BGP - 506	6 Kg	With Wheel
BGP - 510	10 Kg	With Wheel
BGP - 510 WL	10 Kg	Without Wheel
BGP - 520	20 Kg	With Wheel

Product Brief

- ♦ Introducing our brand new **JS** series pump. With features unmatched by any other grease pump in Industry.
- ♦ The **JS** is a Volume greasing applications. Requiring everyday Lubrication such as greasing of excavators & other earth moving equipments, agricultural equipments, automotive applications etc.

LEVER GREASE GUN LIGHT DUTY 8 OZ



Model J-702

Features

- Capacity 8 Oz/200cc
- Develops upto 3000 PSI
- Die Cast Attractive Head
- Durable Powder Coated Finish



LEVER GREASE GUN LIGHT DUTY 10 OZ

Model J-703

Features

- Capacity 10 Oz/285cc
- Develops upto 5000 PSI
- Die Cast Attractive Head
- Durable Powder Coated Finish
- Knurled Barrel for Non-Slip Grip



LEVER GREASE GUN HEAVY DUTY 15 OZ

Model J-705

Features

- Capacity 15 Oz/500cc
- Develops upto 5000 PSI
- Grease Gun Designed for use in General Lubrication and Daily Maintenance Work
- 5/8" Wide Piston for Extra Volume of Grease
- Die Cast Attractive Head
- Durable Powder Coated Finish
- Knurled Barrel for Non-Slip Grip



LEVER GREASE GUN ECONOMY 15 OZ

Model J-707

Features

- All Steel Fabricated Head
- Durable Powder Coated Finish
- Knurled Non-Slip Grip
- 15 Oz Cartridge or 16 Oz Bulk Loading
- Secure Lock for Easy Loading and Bleeding
- Short Handle with Grip
- Develops upto 6000 PSI
- With Plastic 'T' Pulling Rod



LEVER GREASE GUN HEAVY DUTY 20 OZ



Model J-709

Features

- Double Piston
- Knurled Non-Slip Grip
- 20 Oz Cartridge or Bulk Loading
- Secure Lock for Easy Loading and Bleeding
- Develops upto 6000 PSI
- With Flexible Piple and Pencil Type Coupler
- With Plastic 'T' Pulling Rod



PUSH MECHANISM GREASE GUN METAL

Model J-721

Features

- Durable Powder Coated Finish
- Bulk Loading Capacity Oz & 8 Oz / 250 gm
- Capacity of 2500 PSI
- With Different Nozzles



SUCTION GUN

Model J-801

Features

- Suction Gun Designed for Use with Oils to Get Them Both in & Out by Transfer Cases
- That is Easy and Comfortable Working with
- Each Stroke Fluid is Drawn in & it Can be Used in Home Industry, Farm & Automotive
- Need No Priming
- With 12" Flexible Vinyl Hose



Warning : 1. Use with oil based, fluids, heating oils, motor oils, heavy & low viscosity oils.
2. Avoid for use with water based fluids, acids, solvents & antifreeze.

PNEUMATIC BUCKET GREASE PUMP

Model BGP-525

- Grease Pump Capacity 25kgs
- Working Pressure Minimum 40kg/cm² Max. 10.5kg/cm²
- Pressure Ratio : 50:1
- Hose Length : 2.2 Meter Hydraulic Rubberhose Crimped At Both Ends
- Pressure Plate : Provided With Rubber Seal



CAT NO.	CAPACITY	DESCRIPTION
BGP - 525	25 Kg	Pneumatic Bucket
		Grease Pump



Features

- WS Series Oil Can
- With Rim Have Traditional Design
- The Rim Prevents Oil from Dripping Down
- Heavy Gauge Steel Body
- All Painted Oiler Z/Chrome Plated Thumb Lever
- Detachable Rigid % Flex Sports
- Body is Seamless Drawn
- All Models are Available in Steel & Brass Pump as per Order
- Pump Has Two Ball Valve for Large Volume Delivery per Stroke

CAN NO.	CAPACITY	INNER PACKING	OUTER PACKING
C-303	1/4" Pint	8 Pcs.	96
C-305	1/2" Pint	6 Pcs.	72
C-307	3/4" Pint	4 Pcs.	48
C-309	1 Pint	4 Pcs.	48

ROTARY BARREL PUMP

Model J-201



Features

- Robust C.I. Housing with Precision Machined Rotor and Vanes
- Delivery 1.25 Gal (5 liters) 20 Turns
- Oil Resistant Synthetic Rubber Seals

ROTARY BARREL PUMP (RYTON)

Model J-205



Features

- Suitable for Dispensing Most of the Chemicals as Alcohols, detergents, Water Soluble Inorganic Compounds and Acids
- Consists of 3 pcs Screw-able draw Tube with Non-Return Valve
- Delivers 7 Gallons per Minute approximate Weight 4 Lbs

HYDRAULIC COUPLERS 3 OR 4 JAWS



JSP-6 : 3 Jaws
JSP-7 : 4 Jaws



EXTENSION TUBES



JSP-9 : Steel Extension Tube Available in 6" in
BSP Thread
JSP-10 : Steel Extension Tube Available in 4" in
BSP Thread

FLEXIBLE HOSE FOR LEVER GREASE GUN

Features

- Heavy Flexible Inner Tube is Polyamide Construction
- Inner Diameter 4.00mm
- For Hand Operated Grease Gun Only
- Zinc Plated Steel Connections with Positive Crimping Excellent for Confined area
- Select Lengths Available in the Following Variations
- Spring Guard Added Safety & Convenience in Fitment
- Working Pressure 4000 PSI



Also Available Length in 8" / 12" / 18" / 24"

FLEXIBLE HOSE FOR BUCKET GREASE PUMP

Model JSP-52



SPARE KIT FOR BUCKET GREASE PUMP

Model JSP-15





LUBRICATING EQUIPMENTS



VISHWAKARMA IMPEX

Ludhiana-141003 (Punjab) INDIA

E-mail : info@vishwakarmagroup.in

Website : www.vishwakarmagroup.in

www.lubricatingequipments.com

Stockists